## **Claim Amendments**

1. (currently amended) A method of measuring the extent of resources or benefit provided by a second user to a first user in a distributed network, said method comprising the steps of: associating a first trusted entity with the first user;

associating a second trusted entity with the second user;

receiving, from the first trusted entity, information about an intended resource use;

providing a ticket, from a server to the first trusted entity, wherein said ticket includes at least portion of said information;

transmitting said ticket from the first trusted entity to the second trusted entity;

having the second trusted entity modify the ticket;

transmitting said modified ticket to the first trusted entity;

having the first trusted entity send the ticket to the server; and

utilizing said ticket and said modified ticket to determine the extent of benefit or resources provided by the second user to the first user.

- (currently amended) The method of claim 1 wherein the benefit or resources provided by the second user include at least one of provision of a file, provision of bandwidth, provision of CPU cycles, or provision of disk or memory storage.
- 3. (original) The method of claim 1 wherein the ticket issued by the server comprises at least one of a machine identification field, a field for a file name, a field for a hash of a file, a field for a randomly generated number, a weighting field, a time field, a value field, or a date field.
- 4. (original) The method of claim 1 wherein the server stores a copy of said ticket.
- 5. (original) The method of claim 1 wherein the second trusted entity validates the ticket by checking for a signature from the server.

- 6. (original) The method of claim 1 further comprising the step of having the first trusted entity validate the ticket.
- 7. (original) The method of claim 1 further comprising the step of having the server authenticate the identity of the first trusted entity prior to, or subsequent to, issuing said ticket.
- 8. (original) The method of claim 1 wherein said first trusted entity is a module incorporating authentication, encryption or data signing capabilities in data communication with a computing device.
- 9. (original) The method of claim 7 wherein the first trusted entity comprises a receipt request generator, receipt generator module, and receipt validation module.
- 10. (original) The method of claim 1 further comprising the step of having the server conduct a redundancy check prior to, or subsequent to, issuing the ticket.
- 11. (original) The method of claim 10 wherein the step of conducting the redundancy check is achieved by determining whether a file being accessed by the first user has not already been downloaded.
- 12. (original) The method of claim 1 wherein the step of having the second trusted entity modify the ticket comprises at least signing or authenticating the ticket.
- 13. (original) The method of claim 12 further comprising the step of having the first trusted entity validate said signed ticket.
- 14. (original) The method of claim 1 wherein the step of having the second trusted entity modify the ticket comprises adding details of the extent of resources shared by the second user.

- 15. (original) The method of claim 1 further comprising the step of having the first trusted entity organize a plurality of tickets into a record and communicating said record to the server.
- 16. (original) The method of claim 15 further comprising the step of determining, from said record, the extent of resources provided by a plurality of second users to a plurality of first users and modifying a database to record the extent of resources provided by said plurality of second users to said plurality of first users.
- 17. (withdrawn) A resource usage module capable of operating as a trusted entity in data communication with a computing device comprising a receipt request generator, receipt generator module, and receipt validation module.
- 18. (withdrawn) An event record for monitoring an extent of resources provided by a second user to a first user in a distributed network comprising a plurality of tickets wherein each of said tickets comprises at least one of a randomly generated number field, a computing device identifier field, a date field and a time field, and a signature field and wherein each of said tickets contains information about the extent of resources provided by the second user to the first user or a value field.
- 19. (original) A system for measuring the extent of resources provided by a second user to a first user in a distributed network, comprising:
- a first trusted entity in data communication with a computing device used by a first user; a second trusted entity in data communication with a computing device used by a second user;
- a server in data communication with each of said first and second trusted entities wherein said server is capable of generating a ticket comprising at least one of a randomly generated number field, a computing device identifier field, a date field and a time field, a value field, and a signature field.

20. (withdrawn) A method of awarding compensation to a second user based upon the extent of resources provided by said second user, operating a second computing device in data communication with a second trusted entity, to a first user, operating a first computing device in data communication with a first trusted entity, in a distributed network, said method comprising the steps of:

receiving, from the first trusted entity, information about an intended resource use; providing a ticket, from a server to the first trusted entity, wherein said ticket includes at least

portion of said information;

transmitting said ticket from the first trusted entity to the second trusted entity;

having the second trusted entity modify the ticket;

transmitting said modified ticket to the first trusted entity;

utilizing said modified ticket to determine the extent of resources provided by the second user to the first user; and

allocating value to said second user based upon said determination of the extent of resources provided by the second user.

- 21. (withdrawn) The method of claim 20 wherein the resources provided by the second user include at least one of processing power, bandwidth, storage or memory.
- 22. (withdrawn) The method of claim 20 wherein the ticket issued by the server comprises at least one of a machine identification field, a field for a file name, a field for a hash of a file, a field for a randomly generated number, a weighting field, a time field, value field, or a date field.
- 23. (withdrawn) The method of claim 20 wherein the server stores a copy of said ticket.
- 24. (withdrawn) The method of claim 20 wherein the second trusted entity validates the ticket by checking for a signature from the server.

- 25. (withdrawn) The method of claim 20 further comprising the step of having the first trusted entity validate the ticket.
- 26. (withdrawn) The method of claim 20 further comprising the step of having the server authenticate the identity of the first trusted entity prior to issuing said ticket.
- 27. (withdrawn) The method of claim 20 wherein said first trusted entity is a module capable of digital signature authentication or generation in data communication with a computing device.
- 28. (withdrawn) The method of claim 27 wherein the first trusted entity comprises a receipt request generator, receipt generator module, receipt validation module, and a selection process module.
- 29. (withdrawn) The method of claim 20 further comprising the step of having the server conduct a redundancy check prior to, or subsequent to, issuing the ticket.
- 30. (withdrawn) The method of claim 29 wherein the step of conducting the redundancy check is achieved by determining whether a file being accessed by the first user has not already been downloaded in whole or in part.
- 31. (withdrawn) The method of claim 20 wherein the step of having the second trusted entity modify the ticket comprises at least authenticating or signing the ticket.
- 32. (withdrawn) The method of claim 32 further comprising the step of having the first trusted entity validate said signed ticket.

- 33. (withdrawn) The method of claim 20 wherein the step of having the second trusted entity modify the ticket comprises adding details of the extent of resources shared by the second user.
- 34. (withdrawn) The method of claim 20 further comprising the step of having the first trusted entity organize a plurality of tickets into a record and communicating said record to the server.
- 35. (withdrawn) The method of claim 34 further comprising the step of determining, from said record, the extent of resources provided by a plurality of second users to a plurality of first users and modifying a database to record the extent of resources provided by said plurality of second users to said plurality of first users.
- 36. (withdrawn) The method of claim 20 further comprising providing the second user an interface to purchase a plurality of products using said allocated value.
- 37. (withdrawn) The method of claim 20 further comprising providing a website an interface that is capable of receiving a request by said website to validate a purchase from a user wherein said purchase uses said allocated value.